Refractory OAB

Christopher K. Payne, MD Vista Urology & Pelvic Pain Partners Emeritus Professor Urology, Stanford University Board Chair, Worldwide Fistula Fund

Treatment Options

- Combo meds + behavioral
- PTNS
- SNS
 - **Botulinum toxin**

Case #1

- 18yo female with lifelong OAB and urgency incontinence
- 50% reduced on solifenacin 10mg daily, moderate dry mouth.


What if the age is 75?

What if there is associated chronic constipation?

Case #2

- 58yo female who leaks with cough only
- Voids every hour during the day and every 2 hours at night.
- Urgency, urge incontinence daily
- Exam 30 degrees BN mobility, good support, no SUI

		40						M	IEXT	ГАР	POI	NTN	AEN	NA T DA	ME: TE:	_	F0C 1:	515	F8C 2	09-	6-201	03 11: V# 98	00AM 30163	
Day/Date	ten	75in	8800	9am	tonm	1100	Noon	偏	2200	Jam	420	firm	oplin	1-95	Spm	-								
	600	550	250	_	200	345		605	175	150	5	-		1	apm	-	-	11pm	Mida	tam	2am	this	dana	San
14 974	_	400	425		175		700	1	200	-	4100	Add	200	450	-		25	12	80			650		
	-			-			100	-	- and	-	40)	100	150	300	300	300	20	720				500		
								-	-	-	-	-	-	-				. ~			. 1			-
					-		-	-	-	-		-	_		-	-						-	-	
						-	-	-	-	-	-	_	_	_	_			1			-	-	-	-
1					-	-	-	-	-	-	_	_										-	-	-
		-	-	-	-	-	_	-												-	-	-	-	-
	PLE	ASI	= PE	00	DD				-	-	_			100.00			-	-	-		-	_	_	-
. *	IF	NCO	DAIT	100	KD	THE	TIM	EA	ND /	AMO	UN	TOF	EA	CH	VOI	FC	RA	TI	TAC	F 73	-	DAY	-	
			NAL	INE	NCE	IS /	A PR	OB	LEM	, TR	YT	OR	ECO	RD	WHI	IN T	UE	LEA	AS	1 11	VOI	URS	S.	



- Grade 2 SUI
- Exam normal anatomy?
- PVR 150cc?

Case #4

 A 36yo female presents with the complaint that her UI is worse since undergoing a mid-urethral sling 5 months ago

How does your thinking change if the procedure was a TOT sling and repair stage 3 cystocele?